



Solid Thimble S-6134

Product information

Solid thimble for mounting on steel wire ropes. Designed for heavy-duty, permanent connections in rigging and lifting applications.

Certification on request: 2.1

Material: Cast mild steel, (GTW 40)

Marking: According to standard, CE-marked

Finish: Self coloured

Standard: DIN 3091

Part code	Rope Ø range mm	a mmin	b mmin	c mmin	d mmin	e mmin	f mmin	Weight lb
123100800310	8	0.35	0.59	1.57	2.2	0.55	-	0.03
123101000310	10	0.43	0.69	1.97	2.76	0.71	-	0.04
123101200310	12	0.51	0.79	2.36	3.31	0.83	-	0.04
123101400310	14	0.63	0.93	2.76	3.86	0.98	-	0.06
123101600310	16	0.71	1.02	3.15	5.12	1.1	0.63	0.07
123101800310	18	0.79	1.12	3.54	5.71	1.22	0.71	0.1
123102000310	20	0.87	1.22	3.94	6.34	1.38	0.79	0.15
123102200310	22	0.94	1.32	4.33	6.97	1.5	0.87	0.2
123102400310	24	1.02	1.42	4.72	7.6	1.61	0.94	0.31
123102600310	26	1.14	1.56	5.12	8.23	1.73	1.02	0.46
123102800310	28	1.22	1.65	5.51	8.82	1.85	1.1	0.86
123103200310	32	1.38	1.85	6.3	10.08	2.09	1.26	1.61
123103600310	36	1.57	2.09	7.09	11.34	2.32	1.42	1.83
123104000310	40	1.73	2.28	7.87	12.6	2.56	1.57	2.49
123104400310	44	1.89	2.48	8.66	13.86	2.76	1.73	3.26
123104800310	48	2.09	2.72	9.45	15.12	2.99	1.89	4.25
123105200310	52	2.24	2.91	10.24	16.38	3.19	2.05	5.6
123105600310	56	2.44	3.15	11.02	17.64	3.39	2.2	7.83
123106400310	64	2.76	3.54	12.6	20.16	3.74	2.52	8.53
123107200310	72	3.11	3.98	14.17	22.68	5.51	2.83	9.63
123108000310	80	3.46	4.41	15.75	25.2	-	3.15	19.18

Blueprint

