



Snatch Block McKissick 407 Tail Board - Super Champion

Product information

General:

The McKissick snatch block 407 Champion from Crosby is a Tail board type snatch block. Can be delivered with bronze bushing (BB) and with roller bearing (RB).

Features:

- Bolt for opening feature is retained, to ensure no lost bolts.
- Opening feature permits easy insertion of rope without reeving, or while the block is suspended.
- Center pin equipped with pressure lube fitting.
- All sizes feature sheave grooves suited for a range of wire line diameters.
- Meets or exceeds all requirements of ASME B30.26 including identification ductility, design factor, proof load and temperature requirements.
- Meet other critical performance requirements including fatigue life and material traceability, not addressed by ASME B30.26.

Material: Forged steel.

Safety factor: 4:1

Part code	Rope Ø range mm	Rope Ø range inch	WLL (metric) tonnes	Sheave dia mm	Bearing	Ain	B mmin	C mmin	D mmin	E mmin	F mmin	G mmin	Weight lb
424102000340	26-29	1 - 1-1/8	20	203	BB mm	13.54	8.11	5.98	2.56	1.5	7.13	3.15	42.11
424102000345	26-29	1 - 1-1/8	20	203	RB	13.54	8.11	5.98	2.56	1.5	7.13	3.15	42.11
424102000346	26-29	1 - 1-1/8	20	254	BB mm	15.63	10.12	5.98	2.56	1.5	8.19	2.44	54.9
424102000347	26-29	1 - 1-1/8	20	254	RB	15.63	10.12	5.98	2.56	1.5	8.19	2.44	54.9
424102000348	26-29	1 - 1-1/8	20	305	BB mm	17.76	12.24	5.98	2.56	1.5	9.25	2.56	70.11
424102000349	26-29	1 - 1-1/8	20	305	RB	17.76	12.24	5.98	2.56	1.5	9.25	2.56	70.11
4241020003410	26-29	1 - 1-1/8	20	356	BB mm	20.12	14.02	5.98	2.56	1.5	10.71	2.95	89.95
4241020003411	26-29	1 - 1-1/8	20	356	RB	20.12	14.02	5.98	2.56	1.5	10.71	2.95	89.95
424102500340	26-32	1 - 1-1/4	25	457	BB mm	24.61	18.27	7.13	3.03	1.73	12.99	3.11	164.91
424102500345	26-32	1 - 1-1/4	25	457	RB	24.61	18.27	7.13	3.03	1.73	12.99	3.11	164.91
424103000340	26-32	1 - 1-1/4	30	508	BB mm	28.9	20.24	8.31	3.54	2.24	15.24	4.13	214.95
424103000345	26-32	1 - 1-1/4	30	508	RB	28.9	20.24	8.31	3.54	2.24	15.24	4.13	214.95
424103000346	26-32	1 - 1-1/4	30	610	BB mm	32.52	24.25	8.31	3.54	2.24	16.89	3.74	289.91
424103000347	26-32	1 - 1-1/4	30	610	RB	32.52	24.25	8.31	3.54	2.24	16.89	3.74	289.91

Blueprint

