Industrial Rigging & Supply | Lifting Solutions Group Axel Johnson International

# Spreader - Type 6650

**Product information**



**General:** The spreaders have a high point of oscillation which results in good balance. The table only shows a few examples of available sizes and provide an indication of dimensions, loads and weights. Other lengths and working loads can be manufactured to suit a customers requirements. All spreaders are supplied complete with 2-leg sling and shackles according to the table. The beams can be provided with other accessories such as hooks, wire rope slings, chain slings or textile slings. Please also refer to our description in the introduction to this section on lifting beams.
**Design:** Lightweight welded pipe beam construction providing good torsional stiffness.

**Proof:** 1,5 x WLL.

... *Read more*

**Material:** Hollow beam and plate manufactured with high-strength structural steel.
**Marking:** Working load limit and CE marking.
**Finish:** Yellow painted.

***Our custom lifting devices such lifting and spreader beams and forklift attachments are designed, engineered, and fabricated, to meet ASME B30.20 and ASME BTH-1 standards. We ensure your equipment is not only durable but fully compliant with North American safety regulations.***

**Industrial Rigging & Supply**
info@industrialrigging.ca
+1 (519) 624-9697

© October 2026 - All Rights Reserved

Industrial Rigging & Supply | Lifting Solutions Group
Axel Johnson International

# Spreader - Type 6650

**Blueprint**




| Art No | WLL | Length | Shackle number |
|---|---|---|---|
| | tons | m | |
| 13.356650020 | 2 | 1-6 | 11.311019470 |
| 13.356650040 | 4 | 1-6 | 11.311019472 |
| 13.356650060 | 6 | 1-6 | 11.311019490 |
| 13.356650100 | 10 | 1-6 | 11.311019533 |
| 13.356650150 | 15 | 1-6 | 11.311019551 |
| 13.356650200 | 20 | 1-6 | 11.311019597 |
| 13.356650250 | 25 | 1-6 | 11.311019613 |


© October 2026 - All Rights Reserved